

PAYTR CARD STORAGE INTEGRATION (CAPI)

Paytr Card Storage API Integration Document Versions		
Version 1.0	Document Created	03.04.2018

SAVING THE USER'S CARD – DURING THE PAYMENT (CAPI PAYMENT)

By using this service, you can create a user and a card belonging to the user registered at PAYTR during the payment. The process to be followed should be as follows.

- 1- Create your payment page as specified in the Direct API Document.
- 2- Add a checkbox in the step where the credit card information is entered, where the user can choose what he wants to register.
- 3- If user chooses to save card information, add necessary information to POST content:
 - a. If a card is registered in the system for the first time in the name of the user, only the “store_card” parameter is sent in the POST content.
 - b. If the user has a card previously defined in the system and wants to save a new card, the parameters “utoken” and “store_card” in POST content should be sent together.
- 4- In the notification (Notification URL) as a result of the payment, record the following values sent for card storage in your relevant tables and keep them ready for the next transaction.

Card retention information returned in addition to payment information as a result of the payment transaction

Explanation	Variable / Type
User Token: Token created by PAYTR that is specific to the user on your site. You must match this token with the user who traded on your system.	utoken (string)

GETTING THE USER'S REGISTERED CARD LIST (CAPI LIST)

- 1- In order to list the cards registered in PAYTR to the user when a user starts the payment process, make a request to <https://www.paytr.com/odeme/capi/list> with the following parameters.

Compulsory	Explanation	Variable / Type
✓	Store Number: Store number given to you by PAYTR	merchant_id (integer)
✓	User Token: User specific token notified to you by PAYTR system in post-payment payment notification.	utoken (string)
✓	PayTR Token: It is the value that you will create to make sure that the request comes from you and that the content has not changed (You should look at the sample codes regarding the calculation)	paytr_token (string)

- 2- The values in the table below will return to JSON format. When no match is found with the information you sent, the answer is returned as empty JSON.

Explanation	Variable / Type	Possible / Sample Values
Status: Returns an error in the event of an error, not an operation when successful	status (string)	error
Error Message: If the request is unsuccessful, the error reason is returned in err_msg	err_msg (string)	Example: Connection error occurred
Card Token: The token that identifies the user's registered card	ctoken (string)	
Last 4: Last 4 digits of the registered card	last_4 (string)	
Month: Month information of the card's expiration date	month (string)	Örnek: 05
Year: Year information of the card's expiration date	year (string)	Örnek: 28
Bank: The bank of the card	c_bank (string)	Example: Yapı Kredi
Name Surname: Name surname entered by the user during card registration	c_name	

Card Program Partnership Name	c_brand (string)	Example: maximum, bonus, world vb.
Card Type: Credit or debit card / prepaid card	c_type (string)	credit or debit
Company Card: Information whether the card is a company card	businessCard (string)	y / n
Card Scheme. If it is not known which scheme the card belongs to, answer returns as OTHER.	schema (string)	VISA, MASTERCARD, AMEX, TROY, etc.

- 3- List the registered cards that the user can choose by getting the returning card information.
- 4- Start the payment using the ctoken information of the selected registered card and the utoken information of the user (If the require_cvv value is 1 for the selected card, you must provide the user with a field to enter a CVV and send the CVV in the payment request).

DELETING THE USER CARD (CAPI DELETE)

- 1- To delete a card from a user's registered cards, make a request by sending the following parameters to <https://www.paytr.com/odeme/capi/delete>

Compulsory	Explanation	Variable / Type
✓	Store Number: Store number given to you by PAYTR	merchant_id (integer)
✓	PayTR Token: It is the value that you will create to make sure that the request comes from you and that the content has not changed (You should look at the sample codes regarding the calculation)	paytr_token (string)
✓	User Token: User specific token notified to you by PAYTR system in post-payment payment notification.	utoken (string)
✓	Card Token: The token that identifies the user's registered card.	ctoken (string)

- 2- The values in the table below will return to JSON format. You can inform your user according to the response.

Explanation	Variable / Type	Possible / Sample Values
Status: Indicates that the card deletion request made was successful or failed.	status (string)	success or error
Error Message: If the request is unsuccessful, the error reason is returned in err_msg	err_msg (string)	Example: No card or previously deleted

RECURRING PAYMENT WITH REGISTERED CARD

Using this service, you can pay for your user with a card available in PAY for recurring payment.

1-)Create the payment request block with specified values. The payment process will be formed as a result of the request that you will send to the service with the registered card information through the structure that you will create yourself.

2-)For this reason, there is no need to create a form to interact with the user. Transactions will take place as Non3D (Non Secure). Your user will not take any additional actions or any information will not be requested from him during the process. (In order to use it, your store must have Non3D permissions).

3-)From the CAPI LIST service, you need to access the ctoken data by using the utoken data belonging to the user whose name you want to pay for.After that, utoken, ctoken and the following table with the specified values <https://www.paytr.com/odeme> you can request payment by **POST** method to the address.

Mandatory	Description	Field name / type	Limitations & Notes
✓	Merchant ID: Your Merchant ID (Mağaza no) provided by PayTR	merchant_id (integer)	
✓	Paytr_token: It is used to ensure that the request comes from you and the content did not change	paytr_token (string)	Please check the sample codes for calculation
✓	User ip: User IP received during the request (Important: Make sure you send the external IP address when you run tests on your local machine)	user_ip (string)	Up to 39 characters (ipv4)
✓	Merchant order id: The unique order id you set for the transaction. (Note: Order number is posted back within callback notification - on STEP 2)	merchant_oid (string)	Up to 64 characters, Alpha numeric
✓	User email address: The email address which; a) the user registered with on your system b) or you received via the order form	email (string)	Up to 100 characters
✓	Payment type	payment_type(string)	('card', 'card_points')
✓	Payment amount: The total amount of the order.	payment_amount (double), decimal (.) and two digits after the point.	For example: 100.99 or 150 or 1500.35
✓	Installment count	installment_count(int)	0, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
	Card type (For installment transactions)	card_type(string)	advantage, axess, combo, bonus, cardfinans, maximum, paraf, world, saglamkart
	Currency	currency(string)	TL(or TRY), EUR, USD (TL is assumed if not sent)
	Language to be used on payment process	client_lang(string)	tr for Turkish or en for English (tr is assumed if not sent)
	When the merchant is in live mode, it can be sent as 1 to run a test	test_mode	0 or 1
	For Non3D transactions send this value as 1	non_3d	0 or 1
	If you need to test failed Non3D transaction send 1 (non_3d and test_mode values must be both 1)	non3d_test_failed	0 or 1
✓	Card holder name	cc_owner(string)	Up to 50 characters
✓	Card number	card_number(string)	Up to 16 characters
✓	Card expiry date (Month)	expiry_month(string)	1, 2, 3, .. , 11, 12
✓	Card expiry date (Year)	expiry_year(string)	18, 19, 20,...
✓	Card security code	cvv(string)	Up to 4 characters
✓	The page the user will be redirected to after successful payment (e.g. Order status / my orders page) (Warning: the payment may not have been approved yet when the user reaches this page)	merchant_ok_url	Up to 400 characters

✓	The page that the user will be redirected to if something unexpected occurs	merchant_fail_url	Up to 400 characters
✓	User name and surname: First and last name of the user that you have on your system or received via the order form	user_name (string)	Up to 60 characters
✓	User address: The address of the user that you have on your system or received via the order form	user_address (string)	Up to 400 characters
✓	User phone number: The phone number of the user that you have on your system or received via the order form	user_phone (string)	Up to 20 characters
✓	User basket/order contents	user_basket (string)	JSON - Please check the sample codes for structure
✓	User Token: User specific token notified to you by PAYTR system in post-payment payment notification.	utoken(string)	
✓	Card Token: The token that identifies the user's registered card	ctoken(string)	
	Display errors: If the value is 1, when wrong or incomplete information is transmitted to the API, error message is displayed on the page.	debug_on (int)	0 or 1 (Be sure to send 1 to detect errors during the integration and testing process)
	<p>Recurring:After sending a payment request, the response in JSON format returns directly to the request result without redirecting to the successful or unsuccessful page according to the result of the transaction. In addition; Details of the transaction are sent to the defined Notification URL address. The values that the status field returned as a result of sync mode can receive are "failed", "wait_callback" and "success".</p> <p>Note: The Non3D authorization must be turned on in your store for this operation.</p>	recurring(int)	0 or 1 (A request must be sent to us in order for the relevant authorization to be defined to the store. If it is approved by our units, the authorization will be defined to the store.)

RECURRING RESPONSE		
status	msg (description)	try_again
failed	"The card was closed by the bank. Do not send transactions again with this card." or a different error message.	false
failed	You have an ongoing transaction, you can try again after it is completed.	true
wait_callback	Checking Payment, Wait for Notification.	-
success	Successful Payment	-